

यस कार्यालयको लागि स्वीकृत स्पेशिफिकेशन बमोजिम तपशिल तपशिल अनुरुपको एक थान चार पांग्रे सवारी साधन शिलवन्दी बोलपत्र द्वारा खरीद गर्नु पर्ने भएकोले इजाजत प्राप्त इच्छुक फर्म कम्पनी वा आपूर्तिकर्ताहरुबाट निम्न शर्तहरुको अधिनमा रही शिलवन्दी बोलपत्र आव्हान गरिएको छ।

१. बोलपत्र फाराम मिति २०७६ भाद्र ६ गते भित्र बोलपत्र दस्तुर (फिर्ता नहुने गरी) तिरी यस नगरपालिका कार्यालयबाट खरीद गर्न सिकनेछ | बोलपत्र फाराम खरिदको लागि निवेदनको साथमा बोलपत्रदाताको फर्म दर्ता प्रमाणपत्र, मूल्य अभिवृद्धि कर दर्ता प्रामाण पत्र. अधिकारनामा र गत आ.ब.२०७४/७५ सम्मको कर चुक्ता प्रमाण पत्रका प्रमाणित प्रतिलिपिहरु यस कार्यालयमा पेश गरि बोलपत्र खरिद गर्न सिकनेछ |

२. खरिद गरेको वोल्पत्र फाराम भिर शिलवन्दी गिर खामको बाहिर कामको विवरण,बोलपत्र न., बोलपत्रदाताको फर्मको नाम, ठेगाना खोलि शिलवन्दी बोलपत्र २०७६ भाद्र ७ गते दिनको १२:०० बजे सम्म यस कार्यालयमा दर्ता गिर सक्नु पर्ने छ | दर्ता भएका बोलपत्रहरु सोहि दिन अपरान्ह १:०० बजे यसै कार्यालयमा नियमानुसारको रोहबरमा खोलिनेछ | बोलपत्रदाता वा निजहरुको प्रतिनिधि उपस्थित नभएमा पनि बोलपत्र खोल्न बाधा पर्ने छैन ।

३. बोलपत्रदाताले बोलपत्र पुस्तिकाको सबै पानामा सही छाप गरेको हुनुपर्नेछ | दर रेट महलको अंक र अक्षर दुबैमा दर लेख्नु पर्नेछ | अंक र अक्षरमा फरक पर्न गएमा अक्षरमा लेखिएको दरलाई मान्यता दिइनेछ |

४. शिलवन्दी बोलपत्र साथ जमानत वापत तल उल्लेख भए अनुसारको रकम राष्ट्रिय बाणिज्य बैंक,बैतडीमा रहेको यस कार्यालयको धरौटी खाता न. ४०५०३०३००७१०३ – ग – ३ मा जम्मा गरेको सक्कल भौचर वा सो बराबरको मान्यता प्राप्त बाणिज्य बैंकबाट जारी गरिएको बोलपत्र दाखिला गर्ने अन्तिम दिनबाट कम्तिमा १२० दिन म्याद भएको बिडबन्ड संलग्न हुनुपर्नेछ।

५. शिलवन्दी बोलपत्र खरिद गर्ने,दाखिला गर्ने र खोल्ने अन्तिम दिन विदा परेको खण्डमा त्यसको लगतै कार्यालय खुलेको दिनमा क्रमश: सो कार्यहरु गरिनेछ।

६. म्याद भित्र दर्ता हुन नआएका तथा अन्य कुनै रित नपुगेको र कुनै शर्त राखी पेश भएको बोलपत्र उपर कुनै कारवाही हुनेछैन |

७. एक फर्मको नाममा खरिद भएको बोलपत्र फाराम अर्को फर्मको नामबाट दाखिला गर्न पाईने छैन।

८ शिलवन्दी वोलपत्र स्वीकृत गर्ने, अस्वीकृत गर्ने तथा आंशिक स्वीकृत गर्ने वा सूचना नै रद्द गर्ने सम्पूर्ण अधिकार यस कार्यालयमा निहित रहनेछ।

९. बिस्तृत जानकारीको लागि कार्यालय समय भित्र यस कार्यालयमा सम्पर्क राख्न सकिनेछ छ।

१०. यस सूचनामा नपरेका अन्य कुराहरूको हकमा प्रचलित सार्वजनिक खरिद ऐन, २०६३ तथा सार्वजनिक खरिद नियमावली, २०६४ (संशोधन सहित) अनुसार हुनेछ | तपशिल :

| स्र.न | ठेक्का नम्बर | सामान्य स्पेशिफिकेशन | वोलपत्र फारामको मुल्य | जमानत रकम रु. |
|-------|--------------------------------|--|--------------------------|---------------|
| | ०१/०७६ – ७७/VehicleDCM,Baitadi | Hard Top Jeep, Right Hand Drive model suitable for driving in Nepal. Gross Vehicle Weight of the Vehicle shall not be less than 2500 kgs and shall have seating capacity for at least 7 passengers including driver. | Зооо | 9,00,000 |

प्रमुख प्रशासकीय अधिकृत

Mars Har

दशरथचन्द नगरपालिका कार्यालय दर्ता नं::-::. १९. दर्ता मिति:-- ८०.८५४ दर्ता गर्नेको गही:-

Technical Specifications Hard Top Jeep (2500 cc to 3000 cc)

1 Unit

| .N. | Criteria | Requirement | Offered Specification |
|-----|--------------|--|-----------------------|
| 1 | General | Hard Top Jeep, Right Hand Drive model suitable for | |
| | | driving in Nepal. Gross Vehicle Weight of the Vehicle shall | |
| | | not be less than 2500 kgs and shall have seating capacity | |
| | | for atleast 7 passengers including driver. | |
| | | | |
| 2 | Engine | Diesel Engine, developing Maximum rated power output | |
| | | not less than 50 kw and Maximum torque not less than | |
| | | 200 NM at governed RPM, engine fully equiped with | |
| | | accessories for efficient full load operation of the vehicle | |
| | | at operating conditions. | |
| 3 | Emission | The Emission Standard of the vehicle should comply with | |
| | Standard | the latest "Vehicle Mass Emission Standard" of Nepal | |
| | | Which is to be certified by Department of Transport | |
| | | Mangement , Nepal | |
| 4 | Gauges | To include water temperature , fuel, oil pressure, | |
| | | transmission gauge etc. as necessary for efficient | |
| | | operation and maintenance. | |
| 5 | Clutch | Single Dry Plate | |
| 6 | Transmission | | |
| | | Manual shift at least 5 forward and one reverse , floor | |
| | | mounted engaged through control at driver seat. | |
| 7 | Ground | High Ground clearance preferred. | |
| | clearance | Minimum 180 mm. | |
| 8 | Suspension | Leaf springs / coil springs / torsion bar / shock absorbers | |
| Ū | | at front and rear. | |
| 9 | Tires | Standard Size | |
| 10 | 1 | Power Steering | |
| 11 | | Front ventilated Disc type, rear disc / drum type, | |
| 11 | | hydraulic operated on all wheels, and parking brake, dual | |
| | | circuit preferred. | |
| 12 | Cab | 4 side doors and 1 back door, all metallic cab with | |
| | | insulated roof, laminated glass windscreen,front washer | |
| | | and wipers, glass windows on doors, through ventilation, | |
| | | comfortable and adjustable seats for drive and co- | |
| | | passenger with two sun visors, rear view mirror and two | |
| | | side view mirrors. | |
| | | Steel, heavy duty, with toe-hook in front and rear | |
| 13 | Chassis and | | |
| l | frame | preferred. | |

| 1.4 | | नार कार्या | 2000 | | | |
|------|--------------|--|------|--|--|--|
| - 1 | Essential | 1. Head light, tail and rear light, reversing light, and turn | | | | |
| 1 | accessories | signals. | / 10 | | | |
| | | Cabin lights 3. | | | | |
| | | Speedometer / Odometer. | | | | |
| | | 4. One Spare wheel with tyre and tube. | · | | | |
| | | 5. Suitable jack and handle. | | | | |
| | | 6. Seat belt for driver and co-driver . | l l | | | |
| | 128 | 7. CD / MP 3 Player/Radio AM/FM | | | | |
| 100 | | 8.Heating Ventilation Air Conditioner | | | | |
| 15 | Instructions | | | | | |
| | | All signs and instructions in the vehicle shall be in English. | | | | |
| 16 | Manuals | One Copy of the Operator's and Owner's instructions and | | | | |
| | | maintenance manual in English shall be supplied with the | | | | |
| | | vehicle | | | | |
| 17 | Tools | A set of tools as reqired for general maintenance shall be | | | | |
| | | supplied. | | | | |
| 18 | Colour | Standard color | | | | |
| 19 | Proven | The vehicle offered shall be under standard production by | | | | |
| | Performance | the manufacturer for at least one year. | | | | |
| 20 | Warranty | Manufacturer shall provide a minimum of One-year | | | | |
| | | warranty after acceptance. | | | | |
| - 24 | Turning | Turning Radius Should not be more than 5.5 Meters | | | | |
| 21 | Radius | | | | | |
| 1 22 | | The Hard Top Jeeps, shall be delivered to: | | | | |
| 22 | Delivery | The Hard Top Jeeps, shan be | | | | |